

SUS304 / 316L Large Capacity Ultrasonic Cleaner For Industrial Auto Parts

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China Mainland
- Brand Name: skymen
- Certification: CE
- Model Number: JP-1216ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 300units /month



Product Specification

- Tank Size: 1500*1000*1000 (LxWxH)
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Max Power: 10800W
- Heater: 20 To 80 Adjust
- Optional: Oil Filtration System
- Timer: 1~99 Hours
- Heating Power: 36KW, Hot Plate
- Material: Stainless Steel
- Highlight: **automotive ultrasonic cleaner, ultrasonic washing machine**



More Images



Product Description

SUS304 / 316L Large Capacity Ultrasonic Cleaner For Industrial Auto Parts

Ultrasonic Parts Cleaners & Degreasers dramatically lower the cost of your parts cleaning process with a higher degree of efficacy compared to traditional methods

Parts Cleaning with Tovatech's Ultrasonic Cleaners: Lower Cost, Higher Efficacy

Slash your cleaning labor and materials costs

Reduce your Work In Process time

Deep penetrating cleansing action, powerful yet gentle

Far superior to hand cleaning

Clean difficult to reach areas like small blind holes, joints, threads, cavities, and crevices

Thoroughly clean all hard surfaces: metal, plastic, glass

Use environmentally safe cleaning fluids



Specification:

Ultrasonic cleaning machine :	
Model	JP-1216ST
Ultrasonic Tank Dimension(mm)	1500*1000*1000
Ovel all dimension(mm)	1750*1300*1500
Max. Capacity	77L/tank
Construction Case	SUS304 (Mirror shining image available)
Construnction Tank	SUS304
Transducer Number	216 pcs
Ultrasonic power(Max.)	10800W
Ultrasonic frequency	40kHz
Temperature range	~99C adjustable
Heating power	3KW
Timer	1~99h
Drain	3/4" Valve
Lid & Basket	Available, material: SUS304
Cleaning Tank voltage	AC220V/AC380V 3phase
Generator Voltage	AC110V / 220V 1phase
Features	For large indsutrial parts cleaning ; Multi-direction castors with brake;

JTS-1216ST Specifications:

Adjustable ultrasonic power
 With digital timer and heater;easy to operate
 SUS304/316L tank
 Original BLT type transducer
 Adaptable for continuous operation
 Adjustable thermo controller
 Adjustable ultrasonic power
 With separate control ultrasonic electronic generator
 Sweep mode control available
 Digital timer control
 Boost mode& oil skimmer upon client's requirement

How is ultrasonic cleaner work ?

Cavitation, the collapse of millions of tiny bubbles created by ultrasonic vibrations, releases high energy and enormous cleaning power. This cleaning action gently and thoroughly removes dirt, oil, and contaminants from every surface in contact with the cleaning fluid. Because the liquid can penetrate into very small crevices, ultrasonic cleaning can clean intricate items that cannot be cleaned by hand.

Traditional parts cleaning or degreasing in the machine shop or the factory floor is a time consuming, labor intensive process that relies on a mixture of solvents, chemicals, and mechanical scrubbing action to remove dirt, grease, cutting and lubricating fluids, rust, salt deposits, polishing pastes, oil, loose burrs, and lapping abrasives from parts. These traditional cleaning methods have a dramatic impact on the overall cost of the maintenance, refurbishment, or manufacturing process.

Ultrasonic Cleaning is an elegant method to ensure your cleaning costs are brought down to manageable levels in these hyper-competitive, margin squeezed days. Ultrasonic cleaners work on the principle of agitating a suitable cleaning solution with high frequency ultrasonic waves that create thousands of tiny cavitation bubbles. These bubbles implode releasing a great deal of energy which in turn dislodges dirt and contaminants from any surface in contact with the liquid.

Ultrasonic works is also suitable for :

Ultrasonic Auto Parts Cleaner
 Ultrasonic Surgical Instrument & Medical Cleaner
 Ultrasonic Aircraft Parts (Aerospace) Cleaner
 Ultrasonic Semiconductor Cleaner
 Ultrasonic Jewelry Cleaner
 Ultrasonic Solar Cleaner
 Ultrasonic Hard Disk Drive Cleaner
 Ultrasonic Industrial Cleaner
 Ultrasonic Circuit Cleaner
 Ultrasonic Ceramics Cleaner
 Ultrasonic Lens & Eyeglass Cleaner
 Ultrasonic Tungsten Carbide Cleaner
 Ultrasonic Plastics Cleaner
 Ultrasonic Oil & Gas Refinery Equipment Cleaner
 Ultrasonic Gun & Case Cleaner
 Ultrasonic Bike Cleaner
 Ultrasonic Musical Instrument Cleaner
 Ultrasonic Dental Cleaner
 Ultrasonic Coin Cleaner
 Glass ware
 Chemical dust,


Package

Packing , loading, delivery time	
Packing unit	1set / wooden case
Packing method	Export wooden case
Loading port	Shenzhen / Hongkong
Delivery time	About 20 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea



**Details
Before and after:**

Rust remove



Dust and oil remove



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen