# **Skymen Technology Corporation Limited** skymenultrasonic.com

### **Durable Industrial Ultrasonic Cleaner 4.5L 180W For Vinyl Record Musical** Instruments

#### **Basic Information**

Shenzhen, China . Place of Origin:

. Brand Name: Skymen

RoHS, CE, FCC, SGS · Certification:

030S Model Number: • Minimum Order Quantity:

• Price: Negotiation · Packaging Details: Wooden case • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 8000 pcs per month



#### **Product Specification**

030S Model: • First Tank Volume: 4.5L

300\*150\*100mm Tank Size:

180W • Ultrasonic Power: 200W . Heating Power: 40KHz • Frequency:

• Timer: 0~30 Minutes Adjustable Temperature: 20~80 Adjustable • Highlight: ultrasonic bath cleaner, table top ultrasonic cleaner



#### More Images



#### **Product Description**

#### 4.5L Ultrasonic Cleaner 180W for Vinyl Record, CD, Musical Instruments 40KHz

#### Specification

Model	030S		
Ultrasonic	40,000Hz		
frequency	<u> </u>		
Material of tank	SUS304		
Material of shell	SUS304		
Capacity	4.5L		
Timer	0~30 mins adjustable		
Temperature	20~80 adjustable		
Power supply type	AC 100~120V, 50/60Hz		
1			
Power supply type 2	AC 220~240V, 50/60Hz		
Ultrasonic power	180W		
Heating Power	200W		
Tank inner	300*150*100mm		
dimension			
Unit dimension	270*185*230mm		
Inner Packing size	410*255*320mm		
N.W.	4.75kg		
G.W.	5.4kg		
Warranty	1 year		
Certificate	SGS & FCC & CE & RoHS		

### Similar models with different capacity: Stainless Bench Top



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
800	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

#### Image:

## **Appearance details**











Compared to traditional cleaning methods, ultrasonic cleaners show great advantages. Especially in specialized and grouporiented production enterprises, ultrasonic cleaning has gradually replaced traditional dipping, brushing, pressure washing, vibration cleaning and steam cleaning.

Ultrasonic cleaners are highly efficient and clean, thanks to the penetrating and cavitation shock waves that their sound waves travel through the medium. Therefore, it is easy to clean the parts with complicated shapes, and the general degreasing, descaling, phosphating and other processes can be completed in two or three minutes under the action of ultrasonic waves, and the speed can be several times higher than the conventional method. To a few dozen degrees, the cleanliness can also reach a high standard, which highlights the results that are difficult or impossible to replace with other treatment methods in many cases where the surface quality and production efficiency of the product are high.



#### **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen