



300liter Industrial Ultra Sonic Cleaning Machine With Oil Filter System

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 100 /month



Product Specification

- Model: JTS-1060
- Material: Stainless Steel SUS304/316L
- Use: Cleaning , Degreasing
- Control: Separate Generator
- Tank Capacity: 300L
- Special: Multi Tank
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 3000W
- Power: Adjustable Ultrasonic Power
- Transducer: 60pcs
- Heating Power: 9kW
- Application: Part Tool Cleaning
- Optional: Filtration System
- Other: With Sus Basket
- Brand: Skymen

Product Description

300liter Industrial Ultra Sonic Cleaning Machine With Oil Filter System

Sky men is a professional manufacturer for ultrasonic cleaner for 10+ years.
The machine is customized and certified with CE.
Large Capacity for industrial part ,engine block ,blind , golf club ,tyre cleaning
Save large labor cost at your workshop.

Other Series



Applications:

Sky men Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

Specifications:

Model	JTS-1060
Tank's working dimension (mm)	700*650*650(L*W*H)
Overall dimension (mm)	900*850*1000(L*W*H)
Tank's total capacity	300L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz / 40kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW

Ideal to clean rust,carbon,pait,heavy oil,fruit agricultural chemicals and other things hard to clean, without damage to parts inside tank.

Photos for JTS with oil filter system



Product Description

Model: Skymen™		JTS-1012	JTS-1018	JTS-1024	JTS-1030	JTS-1036	JTS-1072
TANK'S WORKING DIMENSION (mm)	L1	355	406	500	500	500	1110
	W1	305	305	355	406	460	600
	H1	355	460	500	500	550	600
OVERALL DIMENSION (mm)	L2	535	586	680	710	710	1320
	W2	485	485	535	586	640	780
	H2	750	680	720	720	770	820
TANK'S TOTAL CAPACITY		38L	56L	88L	101L	126L	369L
TANK'S MATERIAL		SUS304 / SUS316L					
IN-TANK SURFACE FINISHING		Hard-Cr Plating Treatment (20+ microns)					
HOUSING'S MATERIAL		Stainless steel					
ULTRASONIC FREQUENCY*		28kHz / 40kHz					
ULTRASONIC TRANSDUCER		12	18	24	30	36	72
ULTRASONIC OUTPUT POWER (MAX.)		600W	900W	1200W	1500W	1800W	3600W

ELECTRONIC GENERATOR	KG600	KG900	KG1200	KG1500	KG1800	KG3600
	Build-in	Separate				
HEATER'S (HOT PLATE) POWER	1.5kW	3kW		4.5kW	9KW	

Package

Packing , loading, delivery time	
Packing unit	1set/wooden case
Packing method	Export wooden case
Loading port	Shenzhen
Delivery time	About 15 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea

Q: What cleaning solution should I use?

A: A large variety of different formulas designed for specific applications. Proper selection is crucial for acceptable cleaning activity and to prevent unwanted reactions with the workpiece.

Q: Is rinsing after cleaning cycles?

A: Rinsing is recommended to remove any chemical residue that could be harmful to the part. Details can be rinsed right in your ultrasonic cleaner or in a clean water bath or in a separate sink tap, distilled or deionized water.

Q: How about after sales services?

A: 1 Year warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen